

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1-31. (Canceled)

32. (Currently Amended) A security device comprising at least first and second superposed diffractive or holographic optically variable effect generating structures, at least the first structure having a surface relief microstructure, the second optically variable effect generating structure being viewable through the first, and wherein the replay characteristics of the structures ~~are such as to generate a visually integrated image~~ and the first and second optically variable effect generating structures have been originated by different processes.

33. (Previously Presented) A device according to claim 32, wherein the first optically variable effect generating structure includes a discontinuous metallic layer.

34. (Previously Presented) A device according to claim 32, wherein the first optical variable effect generating structure includes a reflective layer formed by a high refractive index dielectric material.

35. (Currently Amended) A security device according to claim 34, wherein the first optically variable effect generating structure comprises a substantially pure grating structure defined by said surface relief microstructure, in combination with a high refractive index dielectric layer and the second optically variable effect generating structure generates diffuse diffraction and comprises one of a ~~classical~~ two-step rainbow hologram, a zero-order diffractive device, or a Fresnel structure.

36. (Currently Amended) A device according to claim 32, wherein the first and second optically variable effect generating structures comprise ~~complementary first and second~~ zero-order diffractive devices, wherein the first zero-order diffractive device generates an image in a first color at a first orientation and in a second color at a second

orientation, while the second zero-order diffractive device generates an image in the second color in the first orientation and the first color in the second orientation.

37. (Canceled)

38. (Previously Presented) A device according to claim 32, wherein the second structure includes a surface relief microstructure.

39. (Previously Presented) A device according to claim 38, wherein the second optically variable effect generating structure includes an opaque, reflective layer.

40. (Canceled)

41. (Currently Amended) A device according to claim ~~38~~32, wherein the first and second surface relief microstructures have been originated by one of dot matrix interferometry, lithographic interferometry, e-beam lithography and ~~classical~~two-step rainbow lithography.

42. (Previously Presented) A device according to claim 32, wherein the first and second optically variable effect generating structures are laminated together.

43. (Previously Presented) A device according to claim 32, further comprising a carrier layer supporting the first and second optically variable effect generating structures.

44. (Previously Presented) A device according to claim 43, wherein the carrier layer is secured to the first and second optically variable effect generating structures via a release layer.

45. (Previously Presented) A device according to claim 32, wherein one or more of the optically variable effect generating structures is formed in a respective lacquer layer.

46. (Previously Presented) A device according to claim 32, wherein at least one of the optically variable effect generating structures is formed in a polymer material.

47. (Previously Presented) A device according to claim 32, further comprising an adhesive layer to enable the device to be secured to a substrate.

48. (Previously Presented) A device according to claim 32, further comprising a dye or pigment providing in or between layer(s) of the optically variable effect generating structures.

49. (Previously Presented) A device according to claim 32, further comprising one or more additional optically variable effect generating structures provided between the first and second optically variable effect generating structures.

50. (Currently Amended) A method of manufacturing a security device, the method comprising providing at least first and second superposed diffractive or holographic optically variable effect generating structures, at least the first structure having a surface relief microstructure, whereby the second optically variable effect generating structure is viewable through the first, and wherein the replay characteristics of the structures ~~are such as to~~ generate a visually integrated image and the first and second optically variable effect generating structures have been originated by different processes.

51. (Previously Presented) A method according to claim 50, wherein each optically variable effect generating structure is formed by embossing a corresponding surface relief microstructure into an embossing layer.

52. (Previously Presented) A method according to claim 51, wherein the embossing layer comprises an embossing lacquer or polymer.

53. (Previously Presented) A method according to claim 50, wherein the second structure includes a surface relief microstructure.

54. (Canceled)

55. (Currently Amended) A method according to claim ~~54~~50, wherein the origination processes are chosen from dot matrix interferometry, lithographic interferometry, e-beam lithography and ~~classical~~two-step rainbow lithography.

56. (Previously Presented) A method according to claim 50, further comprising providing the surface relief microstructure of the first optically variable effect generating structure with a partially reflective layer.

57. (Previously Presented) A method according to claim 56, wherein the partially reflective layer is formed by a high refractive index dielectric material or a discontinuous metallization.

58. (Previously Presented) A method according to claim 50, wherein the first and second optically variable effect generating structures are fabricated separately and then joined together.

59. (Previously Presented) A method according to claim 58, wherein the first and second optically variable effect generating structures are laminated together with an intermediate laminating adhesive.

60. (Previously Presented) A method according to claim 59, wherein the laminating adhesive is UV curable, the joining step including irradiating the laminating adhesive through the first optically variable effect generating structure to activate the adhesive.

61. (Previously Presented) A method according to claim 50, wherein the first and second optically variable effect generating structures are provided on a carrier.

62. (Previously Presented) A method according to claim 60, wherein a release layer is provided between the carrier and the first and second optically variable effect generating structures.

63. (Previously Presented) A document carrying a security device according to claim 32.

64. (Previously Presented) A document carrying a security device manufactured according to claim 50.

65. (Currently Amended) A document according to claim 63, the document selected from the group comprising a document of value banknotes, checks, bonds, traveler's checks and vouchers.

66. (Previously Presented) A security device according to claim 32, wherein the second optically variable effect generating structure comprises a volume hologram.

67. (Previously Presented) A security device according to claim 33, wherein the discontinuous metallic layer is registered with the surface relief microstructure of the first optically variable effect generating structure.

68. (Previously Presented) A method according to claim 50, wherein the second optically variable effect generating structure comprises a volume hologram.

69. (Previously Presented) A method according to claim 57, wherein the partially reflective layer is a discontinuous metallic layer, wherein the discontinuous metallic layer is registered with the surface relief microstructure of the first optically variable effect generating structure.

70. (Previously Presented) A method according to claim 65, wherein the document of value is a banknote.